

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11 2	3	(tape same record\$3 same ((cartridge\$1 near2 memor\$3) with position\$3)).clm.	US-PGPUB	OR	OFF	2007/12/15 14:32
S11 1	9	(tape with ((cartridge\$1 near2 memor\$3) with position\$3)).clm.	US-PGPUB	OR	OFF	2007/12/15 14:32
S11 0	0	((tape\$1 near3 cartridge\$1 near3 memor\$3) same (position near2 command\$2)).clm.	US-PGPUB	OR	OFF	2007/12/15 14:27
S10 9	2	((tape\$1 near3 cartridge\$1 near3 memor\$3) same reposition\$3)).clm.	US-PGPUB	OR	OFF	2007/12/15 14:26

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S108	25	S105 and S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 14:24
S107	368	tape and ((checksum\$2) with (table\$2 or database\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/12/15 14:24
S106	13	S104 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 14:21
S105	77254	((position or reposition) with command\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 14:21
S104	50	S102 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 14:20
S103	704	tape\$2 and (cartridge adj memory)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/12/15 14:20
S68	7	S65 and ((position or reposition) with command\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 14:20
S102	14691	713/193-194.ccls. or 713/169-170.ccls. or 707/200-204.ccls. or 711/111.ccls. or 714/5.ccls. or 726/18.ccls. or 726/30.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 14:19

EAST Search History

S10 1	1	riches.in. and simon.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 14:18
S10 0	1	tape\$1 near ((flag\$1 or indicator\$1) same (cartridge near2 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:32
S99	1	tape\$1 near (flag\$1 same (cartridge near2 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:32
S98	1	tape\$1 near (flag\$1 with (cartridge near2 memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:32
S97	201	tape\$1 near (cartridge near2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:32
S96	260	tape\$1 near2 (cartridge near2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:30
S95	308	tape\$1 near3 (cartridge near2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:30
S94	396	tape\$1 near5 (cartridge near2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:29

EAST Search History

S93	3144	tape\$1 with (cartridge near2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:29
S92	3268	tape\$1 same (cartridge near2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:29
S91	3894	tape\$1 and (cartridge near2 memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:29
S90	6941	tape\$1 and (cartridge with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:28
S89	8086	tape\$1 and (cartridge same memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:28
S88	1	S84 and (cartridge same memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:26
S87	1	S84 and (cartridge with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:25
S86	1	S84 and (cartridge adj memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 10:25

EAST Search History

S85	362569	tape\$1.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 09:45
S84	2	"20020035695".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/01 09:44
S83	66	(network adj problem\$1).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:19
S82	46	(undesirable adj (behavior\$1 or pattern\$1)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:18
S81	1817	S80 and (read adj only)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:14
S80	358294	tape\$1.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 11:52
S79	44887	tape\$1 and (read adj only)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 11:52
S78	2	"20020035695".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/11 16:49

EAST Search History

S77	43	S76 and (compar\$3 or valif\$7 or validat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/11 16:48
S76	119	S75 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/11 16:36
S75	126	S73 and ((external or outside) with reader\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/11 16:36
S74	7	S73 and (external adj reader\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/11 16:14
S73	358053	tape\$1.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/11 16:10
S72	2	"6625734".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 12:11
S71	73	S70 and tape\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 12:11
S70	114	S64 and (checksum\$1 or hash\$3 or signatur\$3 or CRC\$1) and position\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:56

EAST Search History

S69	171	tape\$1.ab. and (cartridge adj memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:53
S65	169	tape.ab. and (cartridge adj memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:53
S67	1	S65 and ((position or reposition) near3 command\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:45
S66	1	S65 and ((position or reposition) adj command\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:45
S64	1341	cartridge adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:12
S63	1	(tape near2 cartridge near2 memory) with (validat\$3 or verificat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:12
S62	0	(tape near2 cartridge near2 memory) with (integrity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 09:50
S61	3	(tape near2 cartridge near2 memory) with (checksum\$1 or signature\$1 or CRC\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 09:49

EAST Search History

S60	0	(tape near2 cartridge near2 memory) with checksum\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 09:48
S59	0	(tape near2 cartridge near2 memory) with checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 09:48
S58	269	tape near2 cartridge near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 09:47
S57	942	726/26.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 09:17
S56	231	713/187.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 09:17
S54	69	S53 and (eras\$3 adj command\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 19:26
S55	6	S53 and ((eras\$3 adj command\$1) with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 19:25
S53	351874	tape\$1.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 19:24

EAST Search History

S52	186	tape with eras\$3 with command\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 19:24
S51	15	tape with eras\$3 with memor\$3 with command\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 19:24
S50	323	tape with eras\$3 with memor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 18:57
S49	781	(tape with erase).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 18:57
S48	3701	tape with erase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 18:57
S47	28	tape with reposition\$3 with command\$1 with writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 16:48
S46	57	tape with reposition\$3 with command\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 16:48
S45	1	"5907672".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 09:44
S44	1	((data adj tape) same checksum) and (database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 09:44

EAST Search History

S43	0	((data adj tape) same checksum) same (database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 09:03
S42	12202	"380".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 09:03
S41	0	((data adj tape) with checksum) same (database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 09:03
S40	0	((data or magnetic) adj tape) with (checksum or (error adj detection))) same (secur\$2 adj database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 09:02
S39	0	((data or magnetic) adj tape) with checksum) same (secur\$2 adj database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 08:59
S38	0	((data or magnetic) adj tape) adj checksum) same (secur\$2 adj database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 08:56
S37	0	((writ\$3 or copy\$3 or stor\$3) adj checksum) same (secur\$2 adj database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 08:56
S36	0	((writ\$3 or copy\$3 or stor\$3) adj checksum) with (secur\$2 adj database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 08:55
S35	6	(data adj tape) and ((checksum\$2) with (table\$2 or database\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/30 08:54
S34	199	tape and ((checksum\$2) with (table\$2 or database\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 15:49
S7	438	tape and ((checksum\$2) same (table\$2 or database\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 15:49
S33	1	wo00/08561.ptpn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 15:23

EAST Search History

S31	338	"20000217".ptpd.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 15:23
S32	3	S31 and backup	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 15:22
S30	1	pct/gb99/02594.ptan.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 15:21
S29	0	wo0008561	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 15:20
S28	3	"0008561"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 15:18
S27	6	S25 and signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 15:18
S25	24	(data adj tape\$2) and ((checksum\$2) same (table\$2 or database\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:58
S24	0	((data adj tape) with checksum) same database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:55
S23	0	((data adj tape) with checksum) with database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:55
S22	0	((data adj tape adj checksum) with database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:55
S21	0	((data adj tape adj checksum) near3 database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:55
S20	1	error and S17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:54

EAST Search History

S19	0	validat\$3 and S17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:43
S18	0	checksum and S17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:43
S17	4	"5715313".pn. or "4338644".pn. or "2217096".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:42
S16	1	"5381545".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:41
S15	2	(data adj tape) and (checksum with database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:26
S10	87	(writ\$3 adj data) with (data adj tape) and (checksum wityh database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:21
S14	0	((writ\$3 adj data) same (data adj tape)) and (checksum same database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:19
S13	0	((writ\$3 adj data) same (data adj tape)) and (checksum with database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:19
S12	0	((writ\$3 adj data) with (data adj tape)) and (checksum with database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:18
S11	0	(writ\$3 adj data) with (data adj tape) and (checksum with database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:18
S9	240	(writ\$3 adj data) and (data adj tape) and (checksum wityh database)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:14
S8	56	S7 and (read\$3 adj back)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 14:12

EAST Search History

S2	438	tape and ((checksum\$2) same (table\$2 or database\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 13:37
S6	1	"6023707".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 11:38
S5	24	(data adj tape\$2) and ((checksum\$2) same (table\$2 or database\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 11:38
S4	6	S2 and S3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 10:25
S3	378	tape\$2 and (cartridge adj memory)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 10:25
S1	1	"20020035695"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/29 10:18